

## ORDINANCE NO. 382

**AN ORDINANCE to amend the plumbing law of the City of Alexandria, Virginia by repealing and re-enacting paragraph 5 of Section 27 of Chapter XXVII of the Alexandria City Code.**

BE IT ORDAINED BY THE COUNCIL OF THE CITY OF ALEXANDRIA:

Section 1. That paragraph 5 of Section 27 of Chapter XXVII of the Alexandria City Code, enacted as a whole July 2, 1940 and made effective August 5, 1940, be and the same is hereby repealed and re-enacted so as to read as follows:

“(5) **Water service pipes.** The water service pipe from the curb or meter location shall be laid by a licensed plumber, at a depth below grade of not less than 4 feet to prevent freezing.

Water service or other water supply pipe laid underground shall be of lead, brass, copper, cement lined steel, or cement lined cast iron; shall be of a size which will provide an ample supply of water as herein required and not less than  $\frac{3}{4}$  inch in any case, or 1 inch if flush valves are used for flushing fixtures, provided, however, that the use of cement lined steel or cement lined cast iron pipe for water service pipes shall not be permitted after six months from the date the President of the U. S. declares the present emergency at an end.

Section 2. That this ordinance shall take effect on the day after its publication in The Alexandria Gazette.

Approved this 21st day of April, 1942.

WILLIAM T. WILKINS,