

Ordinance No. 862

AN ORDINANCE to amend and reordain Subsection (5), Sec. 22-31, Article II, Chapter 22 of The Code of the City of Alexandria, Virginia, 1953, as amended, which Chapter 22 relates to PLUMBING AND GAS FITTING, which Article II relates to PLUMBING SPECIFICATIONS, which Sec. 22-31 relates to HOUSE DRAINS AND SEWERS, and which Subsection (5) relates to MATERIAL.

THE CITY COUNCIL OF ALEXANDRIA HEREBY ORDAINS:

Section 1. That Subsection (5), Sec. 22-31, Article II, Chapter 22 of The Code of the City of Alexandria, Virginia, 1953, as amended, be and the same hereby is amended and reordained to read as follows:

(5) MATERIAL. (a) The house sewer or connection line beginning at the City sewer main shall be of cast iron pipe of at least the grade and weight known as extra heavy; (b) the house drain when underground shall be of lead, brass, or cast iron; (c) the house drain when above ground shall be of cast iron, galvanized wrought iron or steel, lead, brass, or copper, approved standards; (d) the house sewer and house drain shall be water tested and inspected in its entirety.

Section 2. That this ordinance shall be published in a newspaper of general circulation in the City not later than five days following its introduction together with a notice containing the time and place for a public hearing. The Clerk of the Council shall note the date of introduction and first reading, the date of publication, the date of the public hearing, and the date of a second reading and final passage in the minutes of the meeting. This ordinance shall become effective the date of its final passage.

LEROY S. BENDHEIM
Mayor

Attest:
PATSY ALTIZER, City Clerk

Final Passage: September 27, 1955